



KRS Guide Wheel Bearing Co., Ltd



6206ZNR Bearing 2D drawings and 3D CAD models

30,000 mm x 62,000 mm x 16,000 mm NTN
6206ZNR deep groove ball bearings

Bearing No. 6206ZNR

Size	30x62x16 mm
Bore Diameter	30,000 mm
Outer Diameter	62,000 mm
Width	16,000 mm
d	30,000 mm
D	62,000 mm
B	16,000 mm
C	16,000 mm
a min	3.07 mm
a max	3.28 mm
Ca min	4.67 mm
Ca max	4.98 mm
rs min	1 mm
rNs min	0.5 mm
D3 max	59.61 mm
b min	1.9 mm
b max	2.2 mm
r0 max	0.6 mm
D4 max	67.7 mm
f	1.7 mm
Snap ring reference	R62
Radial clearance class	CN
Mass	0.2 kg
Dynamic load, C	19.5 kN
Static load, C0	11.3 kN



KRS Guide Wheel Bearing Co., Ltd

Fatigue limit load, Cu	0.51 kN
f0	13.8
Nlim (oil)	13,000 rpm
Nlim (grease)	11,000 rpm
Min operating temperature, Tmin	-20 ° C
Max operating temperature, Tmax	120 ° C
Characteristic cage frequency, FTF	0.4 Hz
Characteristic rolling element frequency, BSF	4.68 Hz
Characteristic outer ring frequency, BPF0	3.58 Hz
Characteristic inner ring frequency, BRFI	5.42 Hz
da min	35 mm
Da max	57 mm
ra max	1 mm
rNa max	0.5 mm
Db min	68.5 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.197
EAN	4547359359831
Product Group	B00308
Enclosure	1 Metal Shield
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes



KRS Guide Wheel Bearing Co., Ltd

Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	30MM Bore; 62MM Outside Diameter; 16MM Outer Race Width; 1 Metal Shield; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Stee
Other Features	Deep Groove With Snap Ring
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6206ZNR
Weight / LBS	0.439
Outside Diameter	2.441 Inch 62 Millimeter
Bore	1.181 Inch 30 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.63 Inch 16 Millimeter
bore diameter:	30 mm
precision rating:	ISO Class 0
outside diameter:	62 mm
finish/coating:	Uncoated
overall width:	16 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round



KRS Guide Wheel Bearing Co., Ltd

cage material:	Steel
closure type:	Single Shield
inner ring width:	16 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	16 mm
snap ring included:	With Snap Ring
maximum rpm (grease):	11000 rpm
internal clearance:	CN
maximum rpm (oil):	13000 rpm
operating temperature range:	-40 to 120 ° C
fillet radius:	1 mm
dynamic load capacity:	19500 N
manufacturer product page:	Click here
static load capacity:	11300 N